

life
valet™







BUILT FOR BEAUTY AND STRENGTH

At LifeValet™, safety doesn't stand apart from design, it's built into it. Our grab bar systems combine elevated style, dependable strength, and thoughtful customization for modern spaces that welcome everyone. Whether tile-ready or finished with cast glass, designers and clients alike can create spaces that offer peace of mind without sacrificing personal style.





WHERE SAFETY AND STYLE BECOME ONE

CONTENTS

Harmony	4
Harmony Tile-Ready	6
Harmony with Glass	8
Vibe	10
Vibe Tile-Ready	12
Vibe with Glass	18
Warranty	22

CLEAN
DESIGN.

EVERYDAY
RELIABILITY.





HARMONY

Harmony offers dependable support with a softer visual footprint—perfect for standard residential and hospitality applications. Choose from tile-ready or cast glass styles that blend seamlessly into any space. Harmony is a patent-pending design, offering innovation you can trust.

HARMONY TILE-READY

Streamlined grab bars with concealed mounting and modern finishes for a subtle, built-in look.



FINISH OPTIONS



POLISHED CHROME (PC)



BRUSHED NICKEL (BN)



MATTE BLACK (MB)

HARMONY

16" STRAIGHT GRAB BARS




POLISHED CHROME
ITEM # 05ST16PC

BRUSHED NICKEL
ITEM # 05ST16BN

MATTE BLACK
ITEM # 05ST16MB

DIMENSIONS & SPECS

- Center to Center: 16"
- Overall Length: 19"
- Cavity Length: 16"
- Cavity Depth: 0.5"
- Cavity accepts max 0.375" material
- Bar Diameter: 1.25"
- Projection from Wall: 2.81"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Load bearing up to 300 lbs
- ADA Compliant



18" STRAIGHT GRAB BARS




POLISHED CHROME
ITEM # 05ST18PC

BRUSHED NICKEL
ITEM # 05ST18BN

MATTE BLACK
ITEM # 05ST18MB

DIMENSIONS & SPECS

- Center to Center: 18"
- Overall Length: 21"
- Cavity Length: 18"
- Cavity Depth: 0.5"
- Cavity accepts max 0.375" material
- Bar Diameter: 1.25"
- Projection from Wall: 2.81"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Load bearing up to 300 lbs
- ADA Compliant



24" STRAIGHT GRAB BARS




POLISHED CHROME
ITEM # 05ST24PC

BRUSHED NICKEL
ITEM # 05ST24BN

MATTE BLACK
ITEM # 05ST24MB

DIMENSIONS & SPECS

- Center to Center: 24"
- Overall Length: 27"
- Cavity Length: 24"
- Cavity Depth: 0.5"
- Cavity accepts max 0.375" material
- Bar Diameter: 1.25"
- Projection from Wall: 2.81"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Load bearing up to 300 lbs
- ADA Compliant



HARMONY WITH GLASS

Simplicity with a touch of refined style. Harmony grab bars with cast glass inlays offer subtle decorative detail while maintaining a focus on accessibility and affordability.




FINISH OPTIONS



POLISHED CHROME (PC)



BRUSHED NICKEL (BN)



MATTE BLACK (MB)

GLASS INSERT OPTIONS



FROST (FR)



SEA (SE)



SKY (SK)



SAND (SA)



TWILIGHT (TW)



NIGHT (NI)

HARMONY

16" STRAIGHT GRAB BARS



shown in polished chrome finish with sky glass insert

POLISHED CHROME

05ST16PC-GLFR	FROST
05ST16PC-GLSE	SEA
05ST16PC-GLSK	SKY
05ST16PC-GLSA	SAND
05ST16PC-GLTW	TWILIGHT
05ST16PC-GLNI	NIGHT

BRUSHED NICKEL


05ST16BN-GLFR	FROST
05ST16BN-GLSE	SEA
05ST16BN-GLSK	SKY
05ST16BN-GLSA	SAND
05ST16BN-GLTW	TWILIGHT
05ST16BN-GLNI	NIGHT

MATTE BLACK

05ST16MB-GLFR	FROST
05ST16MB-GLSE	SEA
05ST16MB-GLSK	SKY
05ST16MB-GLSA	SAND
05ST16MB-GLTW	TWILIGHT
05ST16MB-GLNI	NIGHT

DIMENSIONS & SPECS

- Center to Center: 16"
- Overall Length: 19"
- Insert Length: 16"
- Bar Diameter: 1.5"
- Projection from Wall: 3.06"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Insert Material: Glass
- Load bearing up to 300 lbs
- ADA Compliant



18" STRAIGHT GRAB BARS



shown in matte black finish with sea glass insert

POLISHED CHROME

05ST18PC-GLFR	FROST
05ST18PC-GLSE	SEA
05ST18PC-GLSK	SKY
05ST18PC-GLSA	SAND
05ST18PC-GLTW	TWILIGHT
05ST18PC-GLNI	NIGHT

BRUSHED NICKEL


05ST18BN-GLFR	FROST
05ST18BN-GLSE	SEA
05ST18BN-GLSK	SKY
05ST18BN-GLSA	SAND
05ST18BN-GLTW	TWILIGHT
05ST18BN-GLNI	NIGHT

MATTE BLACK

05ST18MB-GLFR	FROST
05ST18MB-GLSE	SEA
05ST18MB-GLSK	SKY
05ST18MB-GLSA	SAND
05ST18MB-GLTW	TWILIGHT
05ST18MB-GLNI	NIGHT

DIMENSIONS & SPECS

- Center to Center: 18"
- Overall Length: 21"
- Insert Length: 18"
- Bar Diameter: 1.5"
- Projection from Wall: 3.06"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Insert Material: Glass
- Load bearing up to 300 lbs
- ADA Compliant



24" STRAIGHT GRAB BARS



shown in matte black finish with twilight glass insert

POLISHED CHROME

05ST24PC-GLFR	FROST
05ST24PC-GLSE	SEA
05ST24PC-GLSK	SKY
05ST24PC-GLSA	SAND
05ST24PC-GLTW	TWILIGHT
05ST24PC-GLNI	NIGHT

BRUSHED NICKEL


05ST24BN-GLFR	FROST
05ST24BN-GLSE	SEA
05ST24BN-GLSK	SKY
05ST24BN-GLSA	SAND
05ST24BN-GLTW	TWILIGHT
05ST24BN-GLNI	NIGHT

MATTE BLACK

05ST24MB-GLFR	FROST
05ST24MB-GLSE	SEA
05ST24MB-GLSK	SKY
05ST24MB-GLSA	SAND
05ST24MB-GLTW	TWILIGHT
05ST24MB-GLNI	NIGHT


DIMENSIONS & SPECS


- Center to Center: 24"
- Overall Length: 27"
- Insert Length: 24"
- Bar Diameter: 1.5"
- Projection from Wall: 3.06"
- Wall Mount Diameter: 2.98"
- Material Spec: 304 SS, 20 Gauge
- Insert Material: Glass
- Load bearing up to 300 lbs
- ADA Compliant



VIBE

Winner of the Best of KBIS Design Award, Vibe is an architecturally driven collection engineered for luxury residential and hospitality spaces. Available in tile-ready or cast glass options, each bar blends durability, safety, and refined visual appeal—without sacrificing function. With patent-pending technology at its core, Vibe delivers a one-of-a-kind design solution that elevates spaces and sets a new benchmark for style and performance.





PREMIUM
AESTHETICS.

SEAMLESS
SUPPORT.

VIBE TILE-READY

A sleek, minimalist grab bar that allows you to insert your own wall tile into the cavity for a seamless, bespoke look.



FINISH OPTIONS



POLISHED CHROME (PC)



BRUSHED NICKEL (BN)



MATTE BLACK (MB)

VIBE STRAIGHT

16" STRAIGHT GRAB BARS




POLISHED CHROME
ITEM # 01ST16PC

BRUSHED NICKEL
ITEM # 01ST16BN

MATTE BLACK
ITEM # 01ST16MB

DIMENSIONS & SPECS

- Center to Center: 16"
- Overall Length: 18.5"
- Cavity Length with End Inserts: 14.375"
- Cavity Length without End Inserts: 17.675"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



24" STRAIGHT GRAB BARS




POLISHED CHROME
ITEM # 01ST24PC

BRUSHED NICKEL
ITEM # 01ST24BN

MATTE BLACK
ITEM # 01ST24MB

DIMENSIONS & SPECS

- Center to Center: 24"
- Overall Length: 26.5"
- Cavity Length with End Inserts: 22.375"
- Cavity Length without End Inserts: 25.675"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



VIBE ANGLED

16" ANGLED GRAB BARS




POLISHED CHROME
ITEM # 01AN16PC

BRUSHED NICKEL
ITEM # 01AN16BN

MATTE BLACK
ITEM # 01AN16MB

DIMENSIONS & SPECS

- Center to Center: 16" x 16"
- Overall Length: 18.5" x 18.5"
- Cavity Length with End Inserts: 14.375" x 14.375"
- Cavity Length without End Inserts: 16" x 16"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Overall Wall Space: 16.25" x 26.5"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



24" ANGLED GRAB BARS




POLISHED CHROME
ITEM # 01AN24PC

BRUSHED NICKEL
ITEM # 01AN24BN

MATTE BLACK
ITEM # 01AN24MB

DIMENSIONS & SPECS

- Center to Center: 24" x 24"
- Overall Length: 26.5" x 26.5"
- Cavity Length with End Inserts: 22.375" x 22.375"
- Cavity Length without End Inserts: 24" x 24"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Overall Wall Space: 23.25" x 38.5"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



VIBE L-SHAPED

16" L-SHAPED GRAB BARS




POLISHED CHROME
ITEM # 01LS16PC

BRUSHED NICKEL
ITEM # 01LS16BN

MATTE BLACK
ITEM # 01LS16MB

DIMENSIONS & SPECS

- Center to Center: 16" x 16"
- Overall Length: 18.5" x 18.5"
- Cavity Length with End Inserts: 14.375" x 14.375"
- Cavity Length without End Inserts: 16" x 16"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



24" L-SHAPED GRAB BARS




POLISHED CHROME
ITEM # 01LS24PC

BRUSHED NICKEL
ITEM # 01LS24BN

MATTE BLACK
ITEM # 01LS24MB

DIMENSIONS & SPECS

- Center to Center: 24" x 24"
- Overall Length: 26.5" x 26.5"
- Cavity Length with End Inserts: 22.375" x 22.375"
- Cavity Length without End Inserts: 24" x 24"
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



VIBE SQUARE

16" SQUARE GRAB BARS




POLISHED CHROME
ITEM # 01SQ16PC

BRUSHED NICKEL
ITEM # 01SQ16BN

MATTE BLACK
ITEM # 01SQ16MB

DIMENSIONS & SPECS

- Center to Center: 16" x 4
- Overall Length: 18.5" x 4
- Cavity Length: 14.375" x 4
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified



24" SQUARE GRAB BARS




POLISHED CHROME
ITEM # 01SQ24PC

BRUSHED NICKEL
ITEM # 01SQ24BN

MATTE BLACK
ITEM # 01SQ24MB

DIMENSIONS & SPECS

- Center to Center: 24" x 4
- Overall Length: 26.5" x 4
- Cavity Length: 22.375" x 4
- Cavity Depth: 0.75"
- Cavity accepts max 0.5" material
- Bar Diameter: 1.5"
- Projection from Wall: 2.95"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Load bearing up to 300 lbs
- ADA Certified





VIBE WITH GLASS

The elegance of the original Vibe system—now reimagined with luminous cast glass inserts for a refined design accent. The gem-like clarity of the glass contrasts beautifully with the bar's clean form, creating a statement piece where safety meets elevated design.




FINISH OPTIONS



POLISHED CHROME (PC)



BRUSHED NICKEL (BN)



MATTE BLACK (MB)

GLASS INSERT OPTIONS



FROST (FR)



SEA (SE)




SKY (SK)



SAND (SA)



TWILIGHT (TW)



NIGHT (NI)

VIBE STRAIGHT

16" STRAIGHT GRAB BARS



shown in polished chrome finish with sea glass insert

POLISHED CHROME

01ST16PC-GLFR	FROST
01ST16PC-GLSE	SEA
01ST16PC-GLSK	SKY
01ST16PC-GLSA	SAND
01ST16PC-GLTW	TWILIGHT
01ST16PC-GLNI	NIGHT

BRUSHED NICKEL


01ST16BN-GLFR	FROST
01ST16BN-GLSE	SEA
01ST16BN-GLSK	SKY
01ST16BN-GLSA	SAND
01ST16BN-GLTW	TWILIGHT
01ST16BN-GLNI	NIGHT

MATTE BLACK

01ST16MB-GLFR	FROST
01ST16MB-GLSE	SEA
01ST16MB-GLSK	SKY
01ST16MB-GLSA	SAND
01ST16MB-GLTW	TWILIGHT
01ST16MB-GLNI	NIGHT

DIMENSIONS & SPECS

- Center to Center: 16"
- Overall Length: 18.5"
- Insert Length: 14.375"
- Bar Diameter: 1.187"
- Projection from Wall: 3.2"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Insert Material: Glass
- Load bearing up to 300 lbs
- ADA Certified



24" STRAIGHT GRAB BARS



shown in polished chrome finish with sky glass insert

POLISHED CHROME

01ST24PC-GLFR	FROST
01ST24PC-GLSE	SEA
01ST24PC-GLSK	SKY
01ST24PC-GLSA	SAND
01ST24PC-GLTW	TWILIGHT
01ST24PC-GLNI	NIGHT

BRUSHED NICKEL


01ST24BN-GLFR	FROST
01ST24BN-GLSE	SEA
01ST24BN-GLSK	SKY
01ST24BN-GLSA	SAND
01ST24BN-GLTW	TWILIGHT
01ST24BN-GLNI	NIGHT

MATTE BLACK


01ST24MB-GLFR	FROST
01ST24MB-GLSE	SEA
01ST24MB-GLSK	SKY
01ST24MB-GLSA	SAND
01ST24MB-GLTW	TWILIGHT
01ST24MB-GLNI	NIGHT

DIMENSIONS & SPECS


- Center to Center: 24"
- Overall Length: 26.5"
- Insert Length: 22.375"
- Bar Diameter: 1.187"
- Projection from Wall: 3.2"
- Wall Mount Diameter: 2.43"
- Material Spec: 304 SS, 8 Gauge
- Insert Material: Glass
- Load bearing up to 300 lbs
- ADA Certified



Vibe with glass inserts is also available in Angled, L-Shaped and Square configurations. Contact your sales representative for information.



TRANSFORM YOUR SPACE



CREATE A VIBE THAT IS TRULY YOUR OWN

CHOOSE BAR SEGMENTS



16" SEGMENT

90 DEGREE



24" SEGMENT

120 DEGREE



24" SEGMENT

STRAIGHT


CHOOSE BAR FINISH



POLISHED CHROME (PC)



BRUSHED NICKEL (BN)



MATTE BLACK (MB)

Vibe's modular system lets you design beyond the basics. Configure grab bar segments with angled or straight connectors to create personalized layouts that range from simple to architectural. It's flexibility that's built for form, function, and creative freedom.

TERMS & CONDITIONS / WARRANTY

ACCEPTANCE AND CANCELLATION OF ORDERS

Each order for Products is subject to acceptance in writing by a duly authorized officer of NuWhirl Systems Corp. (NSC); any written acknowledgment of receipt of an order shall not, in and of itself, constitute such acceptance. Orders accepted by NSC may be cancelled by Buyer only upon written consent of NSC.

PAYMENT TERMS

Payment in full for the Products, without offset or deduction, is due on or before 30 days after from the date of invoice. If payment is not timely received, interest will accrue at the rate of one percent (1%) per month on the unpaid balance or the maximum amount allowed by law, whichever is less.

ORDER AND SHIPPING TERMS

All shipments to the continental United States and Hawaii are FOB NSC's warehouse, Corona, California title and risk of loss pass to Buyer upon NSC's putting shipment into possession of carrier. All shipments outside the continental United States and Hawaii are Ex Works (Incoterms 2010) NSC's warehouse, Corona, California.

PRODUCT RETURN POLICY

All returns are subject to prior written authorization by NSC and must be accompanied by a valid Return Merchandise Authorization ("RMA") number issued by NSC. Any product returned without such authorization and RMA number will be refused and returned to the customer, freight collect, at the customer's sole expense.

PRICE

All prices listed in this catalog are Manufacturer's Suggested Retail Prices (MSRP) quoted in U.S. dollars and are exclusive of applicable taxes, duties, shipping, and handling charges unless otherwise stated. Prices are subject to change at any time without prior notice due to market conditions, currency fluctuations, supplier pricing, or other factors beyond the control of NSC. In the event of a pricing error, typographical or otherwise, NSC reserves the right to correct such errors and to refuse or cancel any orders placed at an incorrect price, whether or not the order has been confirmed, or payment has been received. The customer shall be responsible for all applicable taxes, fees, and charges in addition to the listed prices. Any price quotations must be in writing and will automatically expire 30 calendar days from the date quoted. Verbal quotations are invalid unless confirmed in writing.

MINIMUM ELECTRONIC MEDIA RESELL POLICY (M.E.M.R.P)

Effective April 15, 2025, NuWhirl Systems Corp, dba as LifeValet™, unilaterally will set its minimum resell price policy for its products quoted or sold through the World Wide Web, e-mail or facsimile solicitations, telephone solicitations or electronic text messaging, and Social Media (collectively, such means are "Electronic Media"). Quotes or sales through Electronic Media do not include television or radio advertisements and does not include customer inquiries that relate solely to the physical characteristics, quality, quantity or available inventory of LifeValet™ products.

LifeValet™ intends to sell its products only to persons or businesses who sell to residential end-use customers (such persons or businesses being collectively referred to as "Resellers," and each individually as a "Reseller") through Electronic Media if they will resell LifeValet products at prices no lower than the MEMRP (Minimum Electronic Media Resell Price), **which is equal to the MSRP (Manufacturers Suggested Retail Price) less 20%, as published by LifeValet™.** This minimum suggested resell price policy will apply to all of LifeValet's products sold by Resellers to residential end-use customers through Electronic Media.

USE OF INTELLECTUAL PROPERTY

NSC grants Buyer a limited, worldwide, terminable, non-royalty bearing license to use NSC's name, trademarks, trade dress, logos and copyrights solely in connection with Buyer's marketing, advertising and resale of Products and subject to the terms and conditions herein. All Intellectual Property used by Buyer pursuant to this license shall be approved by NSC prior to such use and used in the form approved by NSC without variation in color, size or other attributes.

PRODUCT DESCRIPTIONS AND ACCURACY

All product specifications, descriptions, illustrations, and other information contained in this catalog are provided for general informational purposes only and are subject to change without prior notice. While every effort has been made to ensure the accuracy of such information at the time of publication, NSC does not warrant or represent that such information is free from error, complete, or current. In the event of a discrepancy between the catalog and the actual product or its packaging, the actual product shall govern. NSC shall not be liable for any typographical, photographic, or technical errors appearing in this catalog, nor for any damages resulting from reliance upon such information.

LifeValet™ is a business unit of NSC (NuWhirl Systems Corp.)

LIMITED CONSUMER WARRANTY

NuWhirl Systems Corp. ("NuWhirl") warrants to the original consumer purchaser that all products will be free of material defects in materials and workmanship for the periods referenced below, as to

Residential: Lifetime as to the Products purchased and installed for residential consumer use; provided that free freight costs for replacements in connection with an honored residential warranty claim will be available only for such claims made within the first year of such warranty.

Commercial: Two (2) years as to the Products purchased and installed for commercial consumer use, including free freight costs for replacements in connection with an honored commercial warranty claim for the first year of such warranty.

In each case, beginning on the date of purchase by the original consumer purchaser of the Products. This warranty is issued to the original consumer purchaser of the Products and may not be transferred or assigned by the original consumer purchaser.

For a complete copy of the LifeValet™ Terms and Conditions, and Warranty, please visit www.lifevalet.com/terms.

“

Our story began during a remodel of our family home, the Lone Oak ranch in Southern California. We wanted bathrooms that were both beautiful and functional, designed to support us as we aged and to welcome family if they ever needed to move in. We chose zero-threshold showers, handheld nozzles, and clean, modern finishes—spaces that felt safe yet stylish.

But we hit one major disagreement: grab bars. With my background in walk-in bath design, I knew how important they were for safety. My wife, however, resisted. “I don’t want our bathrooms looking like a hospital,” she said. And she was right. What we found on the market at the time was practical, but cold and institutional.


That moment sparked an idea. Why couldn’t grab bars be both safe and beautiful—something people would be proud to have in their homes? From that question, LifeValet™ was born. We developed the first “Tile-Ready” grab bar, designed with a customizable face cavity that blends seamlessly into its surroundings, along with our Vibe and Harmony collections—products that prove safety and style can truly go hand in hand.

What began as a disagreement in our remodel became our mission: to reimagine accessibility products so that aging in place feels empowering, not limiting. At LifeValet™, we believe safety should never come at the expense of design and people should be able to live comfortably in their homes without ever compromising on beauty.

Mike Echolds, Principal



[illegible]





lifevalet.

9073 Pulsar Court, Ste A, Corona, CA 92883
833.543.8253 | lifevalet.com

  
@lifevaletnw

©2026 LifeValet™
01/26 MKLV-COL-301B

